Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

714
2

# Tobacco Stocks Report

## as of July 1, 1954

U. S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
TOBACCO DIVISION

The Tobacco Stocks and Standards Act provides for a quarterly report of tobacco stocks. These reports, based on information filed by manufacturers, dealers, and others, are prepared by the Tobacco Division of the Agricultural Marketing Service.

Stephen E. Wrather
Director, Tobacco Division.

LIBRARY
CURRENT SERIAL RECORD
AUG 30 1954
U. S. DEPARTMENT OF AGRICULTURE

Washington, D. C.
August 20, 1954

CONTENTS

| | Page |
|---|---|
| Discussion | 1 - 3 |
| Conversion factors for adjusting for losses in weight | 4 |
| Stocks of leaf tobacco, by types, converted to a FARM-SALES-WEIGHT equivalent | 5 |
| Production, stocks, supply, disappearance, and price of specified types (FARM-SALES-WEIGHT) | 6 |
| Stocks of leaf tobacco, by types and groups of grades | 7-14 |
| Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers | 15 |
| Stocks of leaf tobacco, summary by types | 16 |

Agriculture - Washington

EXPLANATION OF GROUP SYMBOLS BY TYPES OF TOBACCO
FOR PURPOSES OF THE TOBACCO STOCKS REPORT

GROUPS OF FLUE-CURED
TYPES 11, 12, 13, and 14:
A-Wrappers
B-Leaf and smoking leaf
C-Cutters
X-Lugs and primings
S-Scrap
N-Nondescript

GROUPS OF FIRE-CURED
TYPES 21, 22, and 23:
A-Wrappers
B-Heavy leaf
C-Thin leaf
X-Lugs
S-N-Scrap and nondescript

GROUPS OF BURLEY
TYPE 31:
B-Leaf
T-Tips
C-Lugs and cutters
X-Trash and flyings
S-Scrap
N-Nondescript

GROUPS OF SOUTHERN MARYLAND
TYPE 32:
B-Heavy leaf or dull crop
C-Thin leaf or bright crop
X-Seconds and ground leaves
S-Scrap
N-Nondescript

GROUPS OF DARK AIR-CURED
TYPES 35, 36, and 37:
A-Wrappers
B-Heavy leaf
C-Thin leaf
X-Lugs
S-N-Scrap and nondescript

GROUPS OF PENNSYLVANIA SEEDLEAF
TYPE 41:
B-Binders or tops
C-Fillers (farm wrappers)
X-Crop-run and stemming grades
Y-Farm fillers or ground leaves
S-Scrap

GROUPS OF OHIO FILLER
TYPES 42-44:
C-Fillers (farm wrappers)
X-Crop-run and stemming grades
Y-Farm fillers or ground leaves
S-Scrap

GROUPS OF PUERTO RICAN
TYPE 46:
C-Superior
X-Inferior
Y-Trashy (Rabia)
S-Scrap (Picadura)

GROUPS OF CONNECTICUT VALLEY
BROADLEAF AND HAVANA SEED
TYPES 51 and 52:
A-Wrappers
B-Binders, seconds, and brokes
C-Fillers and short darks
X-Stemming grades
S-Scrap

GROUPS OF NEW YORK AND PENNSYLVANIA
HAVANA SEED
TYPE 53:
B-Binders, seconds, and brokes
X-Crop-run and stemming grades
S-Scrap

GROUPS OF SOUTHERN AND NORTHERN
WISCONSIN
TYPES 54 and 55:
B-Binders
C-Fillers
X-Crop-run and stemming grades
S-Scrap

GROUPS OF CONNECTICUT AND GEORGIA
AND FLORIDA SHADE
TYPES 61 and 62:
A-Wrappers
B-Stout wrappers and binders
C-Fillers or tips
S-Scrap

GROUPS OF FOREIGN-GROWN CIGAR-LEAF
TYPES 81, 82, and 83:
A-Wrappers
C-Fillers
S-Scrap

# STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS 1/

## Leaf Tobacco Stocks Slightly Larger In Total

Leaf tobacco inventories of all types reported by dealers and manufacturers in the United States and Puerto Rico totaled 4,080 million pounds as of July 1, 1954. Compared with a year earlier, this represents an increase of 43 million pounds. Around 45 million pounds from the previous year's crop, consisting mainly of Maryland and Puerto Rican tobacco entered stocks during the April-June quarter.

Stocks as of July 1, 1954, included about 639 million pounds (farm-sales-weight) of leaf under Government loans. Of this total, flue-cured loan stocks were 279 million pounds, Burley 245 million, fire-cured 50.0 million, dark air-cured 37.5 million, Maryland 10.5 million, and cigar leaf 16.4 million.

For the southern types, flue-cured and Burley holdings were up 3 percent and 2 percent respectively, compared with a year earlier. On the other hand, Maryland stocks this July 1 were down 4 percent, fire-cured 8 percent, and dark air-cured 2 percent. Holdings of filler, binder, and wrapper leaf types were each below the level of a year earlier. Stocks of foreign-grown cigarette leaf showed a decrease of 6 percent from a year earlier.

---

1/ Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. Tables in the body of the report show stocks on a farm-sales-weight basis; stocks in detail on a reported weight basis, subdivided according to recognized groupings; and stocks owned by dealers and manufacturers, separately. This report is issued quarterly.

## CIGARETTE-LEAF STOCKS

### Flue-cured and Burley Stocks Higher Than A Year Ago; Maryland Down Slightly; Foreign-grown Lower

Flue-cured tobacco stocks totaled 1,915 million pounds as of July 1, 1954, representing an increase of 63 million. As indicated by changes in stocks, disappearance of flue-cured tobacco during marketing year just ended (July 1953-June 1954) totaled 1,209 million pounds compared with 1,244 million in the previous year. Domestic consumption declined to about 778 million pounds compared with 827 million, but exports during the past year increased to around 431 million pounds compared with 417 million the previous year.

Burley tobacco inventories of dealers and manufacturers totaled 1,330 million pounds on July 1, 1954, an increase of 28 million over those of a year earlier.

The Maryland tobacco markets opened in May for sales of the 1953 crop and about 24.5 million pounds had been sold by July 1. Stocks of Maryland leaf this July 1 totaled 69.0 million as against 71.8 million a year ago.

Stocks of foreign-grown cigarette and smoking tobacco fell to 167.3 million pounds, or approximately 10 million below holdings of this type the previous July 1.

## DARK TOBACCO STOCKS

### Lower Stocks of Fire-cured and Dark Air-cured

Fire-cured tobacco stocks were 146.2 million pounds as of July 1, 1954 - a sizable decrease of 13.4 million pounds from a year ago. Holdings of each type showed a decrease. Virginia fire-cured stocks were 28.6 million, Eastern District Tennessee and Kentucky fire-cured 94.2 million, and Western District fire-cured 23.4 million.

Holdings of dark air-cured leaf showed a small decrease from stocks a year earlier, totaling 81.6 million pounds this July 1 compared with 83.5 million a year ago. Stocks of Type 35 were slightly higher than those on hand the previous July 1, whereas Types 36 and 37 showed decreases. Dark air-cured stocks consisted of 50.0 million pounds of One Sucker, 28.7 million of Green River, and 2.9 million of Virginia sun-cured.

## CIGAR LEAF STOCKS

### Stocks of Cigar Leaf Types Show Decreases

Holdings by dealers and manufacturers of all domestic-grown cigar tobacco types, including Puerto Rican, totaled 350.4 million pounds (farm-sales-weight) as of July 1, 1954, or 19.5 million below the level of a year earlier. Inventories of foreign-grown cigar leaf amounted to 17.4 million pounds (unstemmed equivalent) as against 18.1 million on hand the previous July 1.

Cigar filler stocks were reported as 198.6 million pounds on July 1, 1954, showing a rather sharp decrease of 15.7 million from a year earlier. Pennsylvania Seedleaf stocks of 112.8 million pounds were down 18.1 million from a year ago; and Ohio filler holdings of 27.4 million represented a decrease of 1.6 million. Higher stocks of Puerto Rican filler partially compensated for some of the foregoing decreases with stocks this July 1 amounting to 58.6 million pounds - (54.6 million a year ago).

Stocks of cigar binder types of 133.6 million pounds as of July 1, 1954, were down 2.7 million from the previous July 1. Lower stocks of Types 54 and 55 more than balanced higher holdings of Connecticut Type 51. Stocks this July 1 were divided as follows: Connecticut Valley Broadleaf 35.1 million pounds, Connecticut Valley Havana Seed 27.0 million, New York and Pennsylvania Havana Seed 1.9 million, Southern Wisconsin 33.4 million, and Northern Wisconsin 36.2 million.

The inventories of shade-grown tobacco totaled 18.2 million pounds on July 1, 1954, a decrease of 1.1 million compared with a year earlier. Stocks of Type 61 were up slightly but holdings of Type 62 showed a sizable decrease. As indicated by production estimates and changes in stocks, disappearance of Type 61 during the past market year (July-June basis) totaled 9.7 million pounds compared with 10.8 million the previous year. Disappearance of Type 62 was indicated at 6.0 million pounds compared with 5.8 million the previous period.

Stocks of Cuban leaf (Havana) as of July 1, 1954, were reported as 15.5 million pounds, about the same as on hand the previous July 1. Sumatra and Java holdings totaled 0.3 million pounds and Philippine Islands (Manila) 1.7 million.

**TABLE 1.--*Average percentage of weight remaining after handling, sweating, drying, and stemming, and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sales-weight equivalent, by types of tobacco*[1]**

## SOUTHERN TYPES (11-37)

| Type | Type No. | Yield realized from farm-sales weight to— | | | | | Stemming | | Factors used to multiply by to convert reported stocks of | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Packed in domestic order | | | | Packed weight export order | Yield from actual weight at time of operation | Yield from farm-sales weight | Stemmed stocks to unstemmed equivalent | Unstemmed stocks to farm-sales-weight equivalent[2] |
| | | Packed weight | To the end of— | | | | | | | |
| | | | One year in storage | Two years in storage | Three years in storage | | | | | |
| | | Percent | Percent | Percent | Percent | Percent | Percent | Percent | Factor | Factor |
| Flue-cured | 11-14 | 90.0 | 89.1 | 88.7 | 88.7 | 88.0 | 78.0 | 69.0 | 1.282 | 1.12 |
| Virginia fire-cured | 21 | 85.0 | 84.2 | 83.4 | 83.0 | 83.0 | 77.0 | 64.0 | 1.299 | 1.18 |
| Tenn. and Ky. fire-cured | 22-23 | 98.5 | 94.6 | 92.7 | 91.8 | 95.0 | 76.0 | 69.5 | 1.316 | 1.04 |
| Burley | 31 | 90.0 | 88.2 | 87.3 | 86.4 | 89.0 | 74.0 | 64.0 | 1.351 | 1.12 |
| Southern Maryland | 32 | 100.0 | 96.0 | 94.1 | 93.2 | 100.0 | 74.0 | 69.0 | 1.351 | 1.02 |
| One Sucker | 35 | 92.0 | 90.2 | 88.8 | 87.9 | 90.0 | 70.0 | 61.5 | 1.429 | 1.09 |
| Green River | 36 | 90.0 | 87.3 | 86.0 | 85.1 | 86.0 | 76.0 | 64.5 | 1.316 | 1.13 |
| Virginia sun-cured | 37 | 89.0 | 88.1 | 87.2 | 86.8 | 85.0 | 76.0 | 66.0 | 1.316 | 1.13 |

## CIGAR LEAF TYPES (41-62)

| Type | Type No. | Yield realized from farm-sales weight to— | | | | | Stemming | | Factors used to multiply by to convert reported stocks of | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Packed weight | Sampling weight | To the end of— | | | Yield from actual weight at time of operation | Yield from farm-sales weight | Stemmed stocks to unstemmed equivalent | Unstemmed stocks to farm-sales-weight equivalent[3] |
| | | | | One year in storage | Two years in storage | Three years in storage | | | | |
| | | Percent | Percent | Percent | Percent | Percent | Percent | Percent | Factor | Factor |
| Pennsylvania Seedleaf | 41 | 97.3 | 86.0 | 84.0 | 82.0 | 80.6 | 72.0 | 58.0 | 1.387 | |
| Gebhardt | 42 | 97.1 | 85.6 | 83.3 | 80.9 | 79.3 | 73.0 | 58.0 | | |
| Zimmer | 43 | 95.9 | 85.4 | 83.0 | 80.8 | 78.9 | 71.5 | 56.5 | 1.387 | |
| Dutch | 44 | 96.7 | 86.5 | 84.1 | 81.7 | 80.0 | 70.5 | 56.5 | | |
| Puerto Rico | 46 | 88.0 | 87.1 | 83.6 | 82.0 | — | 78.5 | 64.5 | 1.275 | 1.17 |
| Connecticut Broadleaf | 51 | 97.0 | 87.4 | 85.4 | 83.1 | 81.1 | 77.5 | 62.5 | 1.292 | |
| Connecticut Havana Seed | 52 | 97.0 | 87.4 | 85.0 | 83.1 | 81.2 | 77.0 | 62.5 | 1.299 | |
| N. Y. and Pa. Havana Seed | 53 | 91.0 | 84.6 | 82.9 | 80.9 | 79.7 | 73.5 | 58.5 | 1.364 | |
| Southern Wisconsin | 54 | 96.3 | 83.1 | 81.5 | 79.1 | 77.9 | 77.0 | 59.5 | 1.300 | |
| Northern Wisconsin | 55 | 93.7 | 83.8 | 82.4 | 80.6 | 79.2 | 75.0 | 59.0 | 1.333 | |
| Connecticut Shade | 61 | 91.1 | 88.7 | 86.3 | 84.4 | 83.0 | 81.5 | 67.5 | 1.224 | |
| Ga. and Fla. Shade | 62 | 89.1 | 87.3 | 84.5 | 82.3 | 80.6 | 83.0 | 67.0 | 1.205 | |

## MISCELLANEOUS DOMESTIC AND FOREIGN GROWN TYPES (72-90)

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Miscellaneous Domestic | 72-77 | — | — | — | — | — | — | — | 1.333 | 1.09 |
| Foreign-grown cigar leaf | 81-84 | — | — | — | — | — | — | — | 1.205 | (4) |
| Foreign-grown cigarette and smoking tobacco | 90 | — | — | — | — | — | — | — | 1.205 | (4) |

[1]Information in this table taken from U. S. Department of Agriculture Circular 435, Tobacco Shrinkages and Losses in Weight in Handling and Storage, issued in July 1937. [2]Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating and storage. [3]See footnote 1 on page 5 for conversion factors to farm-sales-weight equivalent for cigar leaf except Type 46. [4]Foreign-grown stocks not converted to farm-sales-weight equivalent.

Table 2.--Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, July 1, 1954, compared with other quarters 1/

# FARM-SALES WEIGHT

| Type name | U. S. type number | July 1, 1954 | July 1, 1953 | July 1, 1952 | April 1, 1954 | January 1, 1954 | October 1, 1953 |
|---|---|---|---|---|---|---|---|
| | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Flue-cured | 11-14 | 1,915,122 | 1,851,927 | 1,730,793 | 2,178,370* | 2,411,111 | 2,240,424 |
| Virginia fire-cured | 21 | 28,575 | 31,066 | 29,767 | 31,318* | 29,639 | 28,748 |
| Tennessee and Kentucky fire-cured (Eastern District) | 22 | 94,245 | 102,597 | 102,144 | 105,986* | 84,352 | 94,337 |
| Kentucky and Tennessee fire-cured (Western District) | 23 | 23,418 | 26,000 | 28,408 | 26,061 | 20,958 | 23,297 |
| Total Fire-cured | 21-23 | 146,238 | 159,663 | 160,319 | 163,365* | 134,949 | 146,382 |
| Burley | 31 | 1,329,844 | 1,302,199 | 1,204,965 | 1,475,415 | 1,307,749 | 1,163,416 |
| Low-nicotine | 31-V | 459 | 679 | 665 | 744 | 652 | 673 |
| Southern Maryland | 32 | 69,022 | 71,823 | 64,154 | 57,654 | 65,399 | 72,588 |
| Total Light Air-cured | 31-32 | 1,399,825 | 1,374,701 | 1,269,784 | 1,533,813 | 1,373,800 | 1,236,677 |
| One Sucker | 35 | 49,977 | 49,708 | 45,505 | 55,417 | 42,531 | 46,060 |
| Green River | 36 | 28,729 | 30,597 | 31,368 | 30,362 | 28,111 | 29,099 |
| Virginia sun-cured | 37 | 2,943 | 3,222 | 3,541 | 3,613 | 2,724 | 2,505 |
| Total Dark Air-cured | 35-37 | 81,649 | 83,527 | 80,414 | 89,392 | 73,366 | 77,664 |
| Pennsylvania Seedleaf | 41 | 112,670 | 130,773 | 138,502 | 127,321* | 103,527 | 119,149 |
| Ohio Filler (Miami Valley) | 42-44 | 27,383 | 29,022 | 30,929 | 28,514 | 25,724 | 27,324 |
| Puerto Rican: | | | | | | | |
| In United States | 46 | 21,443 | 17,700 | 19,865 | 25,436 | 23,538 | 19,182 |
| In Puerto Rico | 46 | 37,115 | 36,857 | 28,968 | 26,447* | 14,208 | 27,982 |
| Total Cigar-filler | 41-46 | 198,611 | 214,352 | 218,264 | 207,718* | 166,997 | 193,637 |
| Connecticut Valley Broadleaf | 51 | 35,106 | 32,304 | 32,920 | 33,084* | 31,499 | 29,692 |
| Connecticut Valley Havana Seed | 52 | 27,002 | 26,692 | 30,771 | 29,733* | 28,707 | 24,189 |
| New York and Pa. Havana Seed | 53 | 1,901 | 2,248 | 2,439 | 2,466 | 1,396 | 1,841 |
| Southern Wisconsin | 54 | 33,418 | 34,956 | 36,808 | 36,134 | 31,537 | 33,255 |
| Northern Wisconsin | 55 | 36,159 | 40,064 | 44,391 | 39,272 | 33,122 | 35,440 |
| Total Cigar-binder | 51-55 | 133,586 | 136,264 | 147,329 | 140,689* | 126,261 | 124,417 |
| Connecticut shade | 61 | 11,403 | 10,966 | 12,930 | 13,624* | 16,245 | 11,916 |
| Georgia and Florida shade | 62 | 6,774 | 8,325 | 8,276 | 8,449* | 9,707 | 10,095 |
| Total Cigar-wrapper | 61-62 | 18,177 | 19,291 | 21,206 | 22,073* | 25,952 | 22,011 |
| Perique | 72 | 917 | 956 | 942 | 947 | 969 | 904 |
| Other Miscellaneous Domestic 2/ | 73 | 1,082 | 777 | 985 | 875* | 899 | 707 |
| Domestic Aromatic | 77 | 58 | 276 | 325 | 168 | 246 | 310 |
| Total Miscellaneous Domestic | 72-77 | 2,057 | 2,009 | 2,252 | 1,990* | 2,114 | 1,921 |
| Cuba (Havana) 3/ | 81 | 15,476 | 15,603 | 17,303 | 16,219* | 15,722 | 15,900 |
| Sumatra and Java 3/ | 82 | 272 | 327 | 732 | 215 | 283 | 344 |
| Philippine Islands (Manila) 3/ | 83 | 1,671 | 2,123 | 649 | 1,551 | 1,826 | 2,013 |
| Other foreign-grown cigar-leaf 3/ | 84 | - | 16 | 30 | - | 20 | 25 |
| Total Foreign-grown Cigar-leaf 3/ | 81-84 | 17,419 | 18,069 | 18,714 | 17,985* | 17,851 | 18,282 |
| Foreign-grown cigarette & smoking tobacco (Turkish and other) 3/ | 90 | 167,305 | 177,556 | 179,184 | 182,632 | 180,949 | 163,222 |
| Total all types | 11-90 | 4,079,989 | 4,037,359 | 3,828,259 | 4,538,027* | 4,513,350 | 4,224,637 |

1/ For factor used in converting weights see table 1 except for cigar leaf. The instructions for reporting unstemmed cigar-leaf of the domestic types require dealers and manufacturers to indicate the weight basis on which the tobacco is reported, namely farm-sales-weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of the amount reported in these three categories. The conversion factors by types of tobacco for July 1, 1954 are as follows: Type 41, 108; Types 42-44, 112; Type 51, 105; Type 52, 106; Type 53, 110; Type 54, 104; Type 55, 104; Type 61, 111; Type 62, 114. July 1, 1954 figures subject to revision.

2/ For explanation of stocks included in this classification, see footnote 5 on page 14.

3/ Foreign-grown leaf is converted to an unstemmed equivalent basis only.

* Revisions in April 1, 1954 report.

Table 3.-Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1949-54 1/

FLUE-CURED, TYPES 11-14

| Marketing year beginning July 1 | Production | Carry-over (stocks July 1) | Total supply | Disappearance (supply less carry-over following year) | Average price to grower |
|---|---|---|---|---|---|
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | Cents |
| 1949 | 1,114,508 | 1,538,211 | 2,652,719 | 1,168,240 | 47.2 |
| 1950 | 1,257,280 | 1,484,479 | 2,741,759 | 1,184,225 | 54.7 |
| 1951 | 1,452,700 | 1,557,534 | 3,010,234 | 1,279,441 | 52.4 |
| 1952 | 1,365,341 | 1,730,793 | 3,096,134 | 1,244,207 | 50.3 |
| 1953 | 1,272,200 | 1,851,927 | 3,124,127 | 2/ 1,209,009 | 52.8 |
| 1954 | 3/ 1,330,402 | 2/ 1,915,122 | 2/ 3,245,524 | | |

CONNECTICUT SHADE, TYPE 61

| | | | | | |
|---|---|---|---|---|---|
| 1949 | 11,136 | 12,093 | 23,229 | 9,658 | 205.0 |
| 1950 | 9,102 | 13,571 | 22,673 | 9,648 | 205.0 |
| 1951 | 8,150 | 13,025 | 21,175 | 8,245 | 205.0 |
| 1952 | 8,880 | 12,930 | 21,810 | 10,844 | 210.0 |
| 1953 | 10,158 | 10,966 | 21,124 | 2/ 9,721 | 210.0 |
| 1954 | 3/ 9,912 | 2/ 11,403 | 2/ 21,315 | | |

GEORGIA AND FLORIDA SHADE, TYPE 62

| | | | | | |
|---|---|---|---|---|---|
| 1949 | 6,152 | 4,501 | 10,653 | 4,781 | 195.0 |
| 1950 | 6,378 | 5,872 | 12,250 | 5,314 | 200.0 |
| 1951 | 6,778 | 6,936 | 13,714 | 5,438 | 180.0 |
| 1952 | 5,850 | 8,276 | 14,126 | 5,801 | 180.0 |
| 1953 | 4,498 | 8,325 | 12,823 | 2/ 6,049 | 175.0 |
| 1954 | 3/ 5,969 | 2/ 6,774 | 2/ 12,743 | | |

1/ Annual disappearance for a type is calculated for the marketing year established for that type, the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

2/ Subject to revision.

3/ Aug. 1 estimate, U. S. Crop Reporting Board.

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1954, compared with April 1, 1954
(REPORTED WEIGHT)

| Group | July 1, 1954 1/ | | | April 1, 1954 | | |
|---|---|---|---|---|---|---|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| **Type 11, Old and Middle Belt flue-cured** | | | | | | |
| A | 1,077 | - | 1,077 | 1,448 | - | 1,448 |
| B | 142,229 | 29,526 | 171,755 | 159,411* | 33,052 | 192,463* |
| C | 27,228 | 32,542 | 59,770 | 38,416 | 38,081 | 76,497 |
| X | 102,526 | 104,057 | 206,583 | 109,624* | 111,532 | 221,156* |
| S | 5,783 | 5,816 | 11,599 | 5,247 | 5,919 | 11,166 |
| N | 32,414 | 2,814 | 35,228 | 43,008 | 3,389 | 46,397 |
| Total | 311,257 | 174,755 | 486,012 | 357,154* | 191,973 | 549,127* |
| **Type 12, Eastern North Carolina flue-cured** | | | | | | |
| A | 1,811 | - | 1,811 | 1,916 | - | 1,916 |
| B | 51,865 | 27,260 | 79,125 | 73,440 | 36,359 | 109,799 |
| C | 66,853 | 63,115 | 129,968 | 76,611 | 68,863 | 145,474 |
| X | 124,209 | 133,632 | 257,841 | 135,905 | 145,349 | 281,254 |
| S | 2,207 | 6,148 | 8,355 | 2,803 | 7,324 | 10,127 |
| N | 15,415 | 2,306 | 17,721 | 20,106 | 2,409 | 22,515 |
| Total | 262,360 | 232,461 | 494,821 | 310,781 | 260,304 | 571,085 |
| **Type 13, South Carolina flue-cured (including southeastern North Carolina)** | | | | | | |
| A | 3,694 | - | 3,694 | 4,067 | - | 4,067 |
| B | 28,349 | 13,714 | 42,063 | 39,231 | 21,270 | 60,501 |
| C | 54,620 | 49,910 | 104,530 | 63,200 | 54,150 | 117,350 |
| X | 92,576 | 90,194 | 182,770 | 101,541 | 97,979 | 199,520 |
| S | 1,249 | 5,017 | 6,266 | 1,199 | 5,106 | 6,305 |
| N | 7,914 | 810 | 8,724 | 10,700 | 880 | 11,580 |
| Total | 188,402 | 159,645 | 348,047 | 219,938 | 179,385 | 399,323 |
| **Type 14, Georgia and Florida flue-cured** | | | | | | |
| B | 8,440 | 7,426 | 15,866 | 8,936 | 14,303 | 23,239 |
| C | 1,122 | 51,648 | 52,770 | 967 | 55,681 | 56,648 |
| X | 6,303 | 95,387 | 101,690 | 6,104 | 103,852 | 109,956 |
| S | 556 | 2,843 | 3,399 | 760 | 3,364 | 4,124 |
| N | 2,328 | 610 | 2,938 | 2,503 | 678 | 3,181 |
| Total | 18,749 | 157,914 | 176,663 | 19,270 | 177,878 | 197,148 |
| **Types 11-14,- Total flue-cured** | | | | | | |
| A | 6,582 | - | 6,582 | 7,431 | - | 7,431 |
| B | 230,883 | 77,926 | 308,809 | 281,018* | 104,984 | 386,002* |
| C | 149,823 | 197,215 | 347,038 | 179,194 | 216,775 | 395,969 |
| X | 325,614 | 423,270 | 748,884 | 353,174* | 458,712 | 811,886* |
| S | 9,795 | 19,824 | 29,619 | 10,009 | 21,713 | 31,722 |
| N | 58,071 | 6,540 | 64,611 | 76,317 | 7,356 | 83,673 |
| Total | 780,768 | 724,775 | 1,505,543 | 907,143* | 809,540 | 1,716,683* |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1954, compared with April 1, 1954 - Cont'd.
(REPORTED WEIGHT)

| Group | July 1, 1954 1/ | | | April 1, 1954 | | |
|---|---|---|---|---|---|---|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| **Type 21, Virginia fire-cured** | | | | | | |
| A | 357 | - | 357 | 469 | - | 469 |
| B | 12,269 | 5 | 12,274 | 13,645* | 9 | 13,654* |
| C | 4,563 | - | 4,563 | 4,626 | - | 4,626 |
| X | 6,593 | 250 | 6,843 | 7,341 | 258* | 7,599* |
| S-N | 103 | - | 103 | 107* | 5 | 112* |
| Total | 23,885 | 255 | 24,140 | 26,188* | 272* | 26,460* |
| **Type 22, Tennessee and Kentucky fire-cured, (Eastern District)** | | | | | | |
| A | 3,696 | 4 | 3,700 | 5,203 | 43 | 5,246 |
| B | 44,301 | 489 | 44,790 | 50,620* | 508 | 51,128* |
| C | 7,965 | 67 | 8,032 | 8,606 | 45 | 8,651 |
| X | 29,880 | 1 | 29,881 | 32,923 | 1 | 32,924 |
| S-N | 4,036 | 3 | 4,039 | 3,763 | 7 | 3,770 |
| Total | 89,878 | 564 | 90,442 | 101,115* | 604 | 101,719* |
| **Type 23, Kentucky and Tennessee fire-cured (Western District)** | | | | | | |
| A | 145 | - | 145 | 116 | - | 116 |
| B | 10,216 | 1 | 10,217 | 11,711 | 2 | 11,713 |
| C | 3,119 | 3 | 3,122 | 3,834 | 3 | 3,837 |
| X | 7,116 | 6 | 7,122 | 7,324 | 7 | 7,331 |
| S-N | 1,907 | 1 | 1,908 | 2,054 | 3 | 2,057 |
| Total | 22,503 | 11 | 22,514 | 25,039 | 15 | 25,054 |
| **Types 21-23,- Total fire-cured** | | | | | | |
| A | 4,198 | 4 | 4,202 | 5,788 | 43 | 5,831 |
| B | 66,786 | 495 | 67,281 | 75,976* | 519 | 76,495* |
| C | 15,647 | 70 | 15,717 | 17,066 | 48 | 17,114 |
| X | 43,589 | 257 | 43,846 | 47,588 | 266* | 47,854* |
| S-N | 6,046 | 4 | 6,050 | 5,924* | 15 | 5,939* |
| Total | 136,266 | 830 | 137,096 | 152,342* | 891* | 153,233* |
| **Type 31, Burley** | | | | | | |
| B(Bright) | 103,368 | 80,900 | 184,268 | 109,129 | 83,392 | 192,521 |
| B(Red) | 59,971 | 20,351 | 80,322 | 71,157 | 24,055 | 95,212 |
| T(Bright) | 36,526 | 25,746 | 62,272 | 36,493 | 31,971 | 68,464 |
| T(Red) | 86,353 | 7,992 | 94,345 | 104,754 | 8,077 | 112,831 |
| C | 262,234 | 117,891 | 380,125 | 296,389 | 128,101 | 424,490 |
| X | 89,610 | 127,394 | 217,004 | 99,685 | 140,253 | 239,938 |
| S | 4,682 | 9,112 | 13,794 | 4,747 | 9,572 | 14,319 |
| N | 16,512 | 1,513 | 18,025 | 18,081 | 1,596 | 19,677 |
| Total | 659,256 | 390,899 | 1,050,155 | 740,435 | 427,017 | 1,167,452 |
| **Type 31-V, Low Nicotine** | | | | | | |
| Total | 325 | 63 | 388 | 328 | 249 | 577 |

See footnotes at end of table.

Continued -

Table 4.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers. July 1, 1954, compared with April 1, 1954 - Cont'd.
(REPORTED WEIGHT)

| Group | July 1, 1954 1/ | | | April 1, 1954 | | |
|---|---|---|---|---|---|---|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| **Type 32, Southern Maryland** | | | | | | |
| B | 15,645 | 157 | 15,802 | 13,553 | 168 | 13,721 |
| C | 17,342 | 14,283 | 31,625 | 8,732 | 14,543 | 23,275 |
| X | 7,286 | 528 | 7,814 | 5,283 | 679 | 5,962 |
| S | 930 | 937 | 1,867 | 1,001 | 951 | 1,952 |
| N | 4,978 | - | 4,978 | 5,878 | - | 5,878 |
| Total | 46,181 | 15,905 | 62,086 | 34,447 | 16,341 | 50,788 |
| **Type 35, One Sucker** | | | | | | |
| A | 1,297 | - | 1,297 | 1,420 | - | 1,420 |
| B | 16,662 | 6 | 16,668 | 18,365 | 700 | 19,065 |
| C | 7,996 | - | 7,996 | 9,087 | 4 | 9,091 |
| X | 13,380 | 308 | 13,688 | 16,243 | 379 | 16,622 |
| S-N | 5,435 | 442 | 5,877 | 3,914 | 185 | 4,099 |
| Total | 44,770 | 756 | 45,526 | 49,029 | 1,268 | 50,297 |
| **Type 36, Green River** | | | | | | |
| A | 22 | - | 22 | 22 | - | 22 |
| B | 13,325 | 150 | 13,475 | 14,160 | 166 | 14,326 |
| C | 2,286 | - | 2,286 | 2,526 | - | 2,526 |
| X | 6,914 | 450 | 7,364 | 7,617 | 518 | 8,135 |
| S-N | 1,614 | 360 | 1,974 | 1,553 | 69 | 1,622 |
| Total | 24,161 | 960 | 25,121 | 25,878 | 753 | 26,631 |
| **Type 37, Virginia sun-cured** | | | | | | |
| A | 105 | - | 105 | 128 | - | 128 |
| B | 649 | 26 | 675 | 703 | 29 | 732 |
| C | 272 | 1 | 273 | 318 | - | 318 |
| X | 1,331 | 144 | 1,475 | 1,749 | 158 | 1,907 |
| S-N | 22 | - | 22 | 53 | - | 53 |
| Total | 2,379 | 171 | 2,550 | 2,951 | 187 | 3,138 |
| **Types 35-37.- Total dark air-cured** | | | | | | |
| A | 1,424 | - | 1,424 | 1,570 | - | 1,570 |
| B | 30,636 | 182 | 30,818 | 33,228 | 895 | 34,123 |
| C | 10,554 | 1 | 10,555 | 11,931 | 4 | 11,935 |
| X | 21,625 | 902 | 22,527 | 25,609 | 1,055 | 26,664 |
| S-N | 7,071 | 802 | 7,873 | 5,520 | 254 | 5,774 |
| Total | 71,310 | 1,887 | 73,197 | 77,858 | 2,208 | 80,066 |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1954, compared with April 1, 1954 - Cont'd.
(REPORTED WEIGHT)

Type 41, Pennsylvania Seedleaf

| Group | July 1, 1954 1/ | | | April 1, 1954 | | |
|---|---|---|---|---|---|---|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| B | 4,186 | 83 | 4,269 | 3,591* | 70* | 3,661* |
| C | 74,776 | 2,619 | 77,395 | 85,976* | 2,709* | 88,685* |
| X | 11,982 | 202 | 12,184 | 12,502 | 129 | 12,631 |
| Y | 6,612 | 421 | 7,033 | 9,905 | 500 | 10,405 |
| S | 121 | 1,467 | 1,588 | 123 | 1,563* | 1,686* |
| Total | 97,677 | 4,792 | 102,469 | 112,097* | 4,971* | 117,068* |

Types 42-44, Ohio Filler (Miami Valley)

| | | | | | | |
|---|---|---|---|---|---|---|
| C | 16,277 | 30 | 16,307 | 17,474 | 34 | 17,508 |
| X | 4,419 | - | 4,419 | 5,190 | - | 5,190 |
| Y | 2,120 | 661 | 2,781 | 1,037 | 652 | 1,689 |
| S | 72 | 463 | 495 | 56 | 541 | 597 |
| Total | 22,848 | 1,154 | 24,002 | 23,757 | 1,227 | 24,984 |

Type 46, Puerto Rican (In Continental United States)

| | | | | | | |
|---|---|---|---|---|---|---|
| C | 2 | 11,619 | 11,621 | 91 | 12,630 | 12,721 |
| X | 1,344 | 427 | 1,771 | 1,689 | 503 | 2,192 |
| Y | - | - | - | 1,427 | 417 | 1,844 |
| S | 41 | 1,240 | 1,281 | 93 | 913 | 1,006 |
| Total | 1,387 | 13,286 | 14,673 | 3,300 | 14,463 | 17,763 |

Type 46, Puerto Rican (In Puerto Rico)

| | | | | | | |
|---|---|---|---|---|---|---|
| C | 15,516 | 1,734 | 17,250 | 10,387* | 874 | 11,261* |
| X | 8,828 | 971 | 9,799 | 3,613* | 644 | 4,257* |
| Y | 1,532 | 608 | 2,140 | 4,403* | 693 | 5,096* |
| S-N | 839 | 614 | 1,453 | 590* | 621 | 1,211* |
| Total | 26,715 | 3,927 | 30,642 | 18,993* | 2,832 | 21,825* |

Type 46,- Total Puerto Rican

| | | | | | | |
|---|---|---|---|---|---|---|
| C | 15,518 | 13,353 | 28,871 | 10,478* | 13,504 | 23,982* |
| X | 10,172 | 1,398 | 11,570 | 5,302* | 1,147 | 6,449* |
| Y | 1,532 | 608 | 2,140 | 5,830* | 1,110 | 6,940* |
| S-N | 880 | 1,854 | 2,734 | 683* | 1,534 | 2,217* |
| Total | 28,102 | 17,213 | 45,315 | 22,293* | 17,295 | 39,588* |

See footnotes at end of table.

Continued -

Table 4.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1954, compared with April 1, 1954 - Cont'd.
(REPORTED WEIGHT)

Type 51, Connecticut Valley Broadleaf

| Group | July 1, 1954 1/ | | | April 1, 1954 | | |
|---|---|---|---|---|---|---|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 1,546 | 1 | 1,547 | 1,351 | 1 | 1,352 |
| B | 25,692 | 124 | 25,816 | 23,259* | 138* | 23,397* |
| C | 300 | 6 | 306 | 406 | 7* | 413* |
| X | 5,214 | 149 | 5,363 | 5,833 | 110 | 5,943 |
| S | 2 | 246 | 248 | 5* | 251 | 256* |
| Total | 32,754 | 526 | 33,280 | 30,854* | 507* | 31,361* |

Type 52, Connecticut Valley Havana Seed

| | | | | | | |
|---|---|---|---|---|---|---|
| A | 1,198 | 6 | 1,204 | 867 | 3 | 870 |
| B | 20,283 | 68 | 20,351 | 22,852* | 90* | 22,942* |
| C | 416 | - | 416 | 517 | 1 | 518 |
| X | 3,323 | 73 | 3,396 | 3,526 | 70 | 3,596 |
| S | 24 | 30 | 54 | 14* | 47 | 61* |
| Total | 25,244 | 177 | 25,421 | 27,776* | 211* | 27,987* |

Type 53, New York and Pennsylvania Havana Seed

| | | | | | | |
|---|---|---|---|---|---|---|
| B | 216 | 1 | 217 | 647 | 4 | 651 |
| X | 1,219 | - | 1,219 | 1,256 | - | 1,256 |
| S | 223 | 50 | 273 | 289 | 3 | 292 |
| Total | 1,658 | 51 | 1,709 | 2,192 | 7 | 2,199 |

Type 54, Southern Wisconsin

| | | | | | | |
|---|---|---|---|---|---|---|
| B | 3,403 | 12 | 3,415 | 4,208 | 10 | 4,218 |
| C | 1,054 | 1 | 1,055 | 1,035 | 6 | 1,041 |
| X | 18,823 | 2,204 | 21,027 | 26,293 | 2,383 | 28,676 |
| S | 5,918 | 41 | 5,959 | - | 69 | 69 |
| Total | 29,198 | 2,258 | 31,456 | 31,536 | 2,468 | 34,004 |

Type 55, Northern Wisconsin

| | | | | | | |
|---|---|---|---|---|---|---|
| B | 12,744 | 65 | 12,809 | 15,698 | 87 | 15,785 |
| C | 118 | 37 | 155 | 119 | 42 | 161 |
| X | 20,478 | 813 | 21,291 | 20,469 | 776 | 21,245 |
| S | 14 | 146 | 160 | 2 | 201 | 203 |
| Total | 33,354 | 1,061 | 34,415 | 36,288 | 1,106 | 37,394 |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1954, compared with April 1, 1954 - Cont'd.
(REPORTED WEIGHT)

Type 61, Connecticut Shade

| Group | July 1, 1954 1/ | | | April 1, 1954 | | |
|---|---|---|---|---|---|---|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 9,365 | 21 | 9,386 | 11,297* | 19 | 11,316* |
| B | 528 | 4 | 532 | 695 | 1 | 696 |
| C | 211 | 2 | 213 | 231 | - | 231 |
| S | 1 | 110 | 111 | 2 | 111 | 113 |
| Total | 10,105 | 137 | 10,242 | 12,225* | 131 | 12,356* |

Type 62, Georgie and Florida Shade

| | | | | | | |
|---|---|---|---|---|---|---|
| A | 5,420 | 108 | 5,528 | 6,954* | 14 | 6,968* |
| B | 159 | - | 159 | 143 | - | 143 |
| C | 204 | 6 | 210 | 220 | 7 | 227 |
| S | - | 18 | 18 | - | 57 | 57 |
| Total | 5,783 | 132 | 5,915 | 7,317* | 78 | 7,395* |

SUMMARY ALL CIGAR TOBACCO 2/
July 1, 1954

| Group | Filler Types 41-46 3/ | Binder Types 51-55 | Wrapper Types 61-62 | Foreign Types 81-84 4/ | Total |
|---|---|---|---|---|---|
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | - | 2,751 | 14,914 | 1,118 | 18,783 |
| B | 4,269 | 62,608 | 691 | - | 67,568 |
| C | 122,573 | 1,932 | 423 | 7,539 | 132,467 |
| X | 28,173 | 52,296 | - | - | 80,469 |
| Y | 11,954 | - | - | - | 11,954 |
| S-N | 4,817 | 6,694 | 129 | 6,744 | 18,384 |
| Total | 171,786 | 126,281 | 16,157 | 15,401 | 329,625 |
| | April 1, 1954 | | | | |
| A | - | 2,222 | 18,284* | 1,108* | 21,614* |
| B | 3,661* | 66,993* | 839 | - | 71,493* |
| C | 130,175* | 2,133* | 458 | 8,470* | 141,236* |
| X | 24,270* | 60,716 | - | - | 84,986* |
| Y | 19,034* | - | - | - | 19,034* |
| S-N | 4,500* | 881* | 170 | 6,256* | 11,807* |
| Total | 181,640* | 132,945* | 19,751* | 15,834* | 350,170* |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1954, compared with April 1, 1954 - Cont'd.
(REPORTED WEIGHT)

| Group | July 1, 1954 1/ | | | April 1, 1954 | | |
|---|---|---|---|---|---|---|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| **Type 72, Periqus** | | | | | | |
| Total | - | 631 | 631 | - | 652 | 652 |
| **Type 73, Other miscellaneous domestic 5/** | | | | | | |
| Total | 303 | 518 | 821 | 300 | 377* | 677* |
| **Type 77, Domestic Aromatic** | | | | | | |
| Total | 53 | - | 53 | 70 | 63 | 133 |
| **Types 72-77,-Total miscellaneous domestic** | | | | | | |
| Total | 356 | 1,149 | 1,505 | 370 | 1,092* | 1,462* |
| **Type 81, Cuba (Havana)** | | | | | | |
| A | 764 | 107 | 871 | 729* | 170 | 899* |
| C | 2,772 | 4,745 | 7,517 | 2,869* | 5,012* | 7,881* |
| S | 1,755 | 3,600 | 5,355 | 1,533 | 4,020* | 5,553* |
| Total | 5,291 | 8,452 | 13,743 | 5,131* | 9,202* | 14,333* |
| **Type 82, Sumatra and Java 6/** | | | | | | |
| A | 247 | - | 247 | 209 | - | 209 |
| C | 18 | 4 | 22 | - | - | - |
| S | - | 2 | 2 | - | 5 | 5 |
| Total | 265 | 6 | 271 | 209 | 5 | 214 |
| **Type 83, Philippine Islands (Manila)** | | | | | | |
| C | - | - | - | - | 589 | 589 |
| S | 3 | 1,384 | 1,387 | - | 698 | 698 |
| Total | 3 | 1,384 | 1,387 | - | 1,287 | 1,287 |
| **Type 84, Other foreign-grown cigar-leaf** | | | | | | |
| Total | - | - | - | - | - | - |
| **Type 90, Foreign-grown cigarette and smoking tobacco (Turkish and other)** | | | | | | |
| Total | 167,305 | - | 167,305 | 182,632 | - | 182,632 |
| **Types 11-90,-Total all types** | | | | | | |
| Total | 2,154,049 | 1,172,851 | 3,326,900 | 2,407,230* | 1,295,833* | 3,703,063* |

See footnotes at end of table.

Continued -

Table 4.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1954, compared with April 1, 1954 - Cont'd.
(REPORTED WEIGHT)

1/ Subject to revision.

2/ Summary according to groups of grades reflecting a broad quality breakdown of total cigar leaf stocks.

3/ Includes Puerto Rican on the Island, Type 46

4/ Type 84, other foreign-grown all shown in the C group.

5/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.

6/ Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.

* Revisions in April 1 report.

Table 5 --Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers July 1, 1954, compared with July 1, 1953 1/

# REPORTED WEIGHT

| U.S. type number | Reported as owned by manufacturers 2/ | | | | Reported as owned by dealers 2/ | | | |
|---|---|---|---|---|---|---|---|---|
| | July 1, 1954 | | | July 1, 1953 | July 1, 1954 | | | July 1, 1953 |
| | Unstemmed | Stemmed | Total | | Unstemmed | Stemmed | Total | |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| 11 | 113,906 | 170,367 | 284,273 | 347,728 | 197,351 | 4,388 | 201,739 | 159,220 |
| 12 | 169,461 | 228,195 | 397,656 | 357,820 | 92,899 | 4,266 | 97,165 | 110,834 |
| 13 | 136,765 | 157,586 | 294,351 | 256,767 | 51,637 | 2,059 | 53,696 | 62,438 |
| 14 | 1,661 | 157,034 | 158,695 | 134,833 | 17,088 | 880 | 17,968 | 22,199 |
| 11-14 | 421,793 | 713,182 | 1,134,975 | 1,097,148 | 358,975 | 11,593 | 370,568 | 354,691 |
| 21 | 12,992 | 255 | 13,247 | 13,392 | 10,893 | - | 10,893 | 12,872 |
| 22 | 49,801 | 456 | 50,257 | 56,738 | 40,077 | 108 | 40,185 | 41,715 |
| 23 | 8,520 | 7 | 8,527 | 8,491 | 13,983 | 4 | 13,987 | 16,502 |
| 21-23 | 71,313 | 718 | 72,031 | 78,621 | 64,953 | 112 | 65,065 | 71,089 |
| 31 | 398,730 | 380,576 | 779,306 | 796,810 | 260,526 | 10,323 | 270,849 | 230,762 |
| 31-V | 325 | 63 | 388 | 513 | - | - | - | - |
| 32 | 23,500 | 15,900 | 39,400 | 40,755 | 22,681 | 5 | 22,686 | 24,857 |
| 31-32 | 422,555 | 396,539 | 819,094 | 838,078 | 283,207 | 10,328 | 293,535 | 255,619 |
| 35 | 14,638 | 682 | 15,320 | 16,675 | 30,132 | 74 | 30,206 | 28,551 |
| 36 | 13,354 | 960 | 14,314 | 14,593 | 10,807 | - | 10,807 | 12,198 |
| 37 | 1,878 | 171 | 2,049 | 2,320 | 501 | - | 501 | 460 |
| 35-37 | 29,870 | 1,813 | 31,683 | 33,588 | 41,440 | 74 | 41,514 | 41,209 |
| 41 | 82,864 | 4,533 | 87,397 | 97,851 | 14,813 | 259 | 15,072 | 21,215 |
| 42-44 | 16,098 | 1,117 | 17,215 | 21,128 | 6,750 | 37 | 6,787 | 4,078 |
| 46 3/ | 1,645 | 14,275 | 15,920 | 12,707 | 26,457 | 2,938 | 29,395 | 30,315 |
| 41-46 | 100,607 | 19,925 | 120,532 | 131,686 | 48,020 | 3,234 | 51,254 | 55,608 |
| 51 | 25,357 | 485 | 25,842 | 23,152 | 7,397 | 41 | 7,438 | 7,474 |
| 52 | 19,002 | 160 | 19,162 | 18,657 | 6,242 | 17 | 6,259 | 6,457 |
| 53 | 1,658 | 51 | 1,709 | 1,924 | - | - | - | 54 |
| 54 | 21,719 | 2,213 | 23,932 | 25,778 | 7,479 | 45 | 7,524 | 7,076 |
| 55 | 26,800 | 936 | 27,736 | 32,946 | 6,554 | 125 | 6,679 | 5,186 |
| 51-55 | 94,536 | 3,845 | 98,381 | 102,457 | 27,672 | 228 | 27,900 | 26,247 |
| 61 | 6,218 | 137 | 6,355 | 6,907 | 3,887 | - | 3,887 | 2,953 |
| 62 | 3,647 | 120 | 3,767 | 3,865 | 2,136 | 12 | 2,148 | 3,428 |
| 61-62 | 9,865 | 257 | 10,122 | 10,772 | 6,023 | 12 | 6,035 | 6,381 |
| 72 | - | 442 | 442 | 422 | - | 189 | 189 | 236 |
| 73 4/ | 303 | 515 | 818 | 520 | - | 3 | 3 | 46 |
| 77 | - | - | - | 190 | 53 | - | 53 | 63 |
| 72-77 | 303 | 957 | 1,260 | 1,132 | 53 | 192 | 245 | 345 |
| 81 | 5,116 | 8,069 | 13,185 | 13,291 | 175 | 383 | 558 | 495 |
| 82 5/ | 246 | 6 | 252 | 321 | 19 | - | 19 | 4 |
| 83 | 3 | 1,376 | 1,379 | 1,033 | - | 8 | 8 | 735 |
| 84 | - | - | - | - | - | - | - | 13 |
| 81-84 | 5,365 | 9,451 | 14,816 | 14,645 | 194 | 391 | 585 | 1,247 |
| 90 | 165,111 | - | 165,111 | 175,151 | 2,194 | - | 2,194 | 2,405 |
| 11-90 | 1,321,318 | 1,146,687 | 2,468,005 | 2,483,278 | 832,731 | 26,164 | 858,895 | 814,841 |

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

2/ The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. The table should therefore be considered as representing only the approximate quantities owned respectively by dealers and manufacturers.

3/ Includes stocks on the Island of Puerto Rico.

4/ For explanation of stocks included in this classification see footnote 5 on page 14.

5/ Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.

Table 6.--Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, July 1, 1954 compared with other quarters 1/

# REPORTED WEIGHT

| Type name | U.S. type number | July 1, 1954 2/ | | | April 1, 1954 | July 1, 1953 | April 1, 1953 |
|---|---|---|---|---|---|---|---|
| | | Unstemmed | Stemmed | Total | | | |
| | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Old and Middle Belt flue-cured | 11 | 311,257 | 174,755 | 486,012 | 549,127* | 506,948 | 585,859 |
| Eastern North Carolina flue-cured | 12 | 262,360 | 232,461 | 494,821 | 571,085 | 468,654 | 561,427 |
| South Carolina flue-cured (including Southeastern N. C.) | 13 | 188,402 | 159,645 | 348,047 | 399,323 | 319,205 | 366,979 |
| Georgia and Florida flue-cured | 14 | 18,749 | 157,914 | 176,663 | 197,148 | 157,032 | 184,168 |
| Total Flue-cured | 11-14 | 780,768 | 724,775 | 1,505,543 | 1,716,683* | 1,451,839 | 1,693,433 |
| Virginia fire-cured | 21 | 23,885 | 255 | 24,140 | 26,460* | 26,264 | 27,352 |
| Tennessee and Kentucky fire-cured (Eastern District) | 22 | 89,878 | 564 | 90,442 | 101,719* | 98,453 | 106,453 |
| Kentucky and Tennessee fire-cured (Western District) | 23 | 22,503 | 11 | 22,514 | 25,054 | 24,993 | 27,012 |
| Total Fire-cured | 21-23 | 136,266 | 830 | 137,096 | 153,233* | 149,710 | 160,817 |
| Burley | 31 | 659,256 | 390,899 | 1,050,155 | 1,167,452 | 1,027,572 | 1,132,946 |
| Low-nicotine | 31-V | 325 | 63 | 388 | 577 | 513 | 496 |
| Southern Maryland | 32 | 46,181 | 15,905 | 62,086 | 50,788 | 65,612 | 51,198 |
| Total Light Air-cured | 31-32 | 705,762 | 406,867 | 1,112,629 | 1,218,817 | 1,093,697 | 1,184,640 |
| One Sucker | 35 | 44,770 | 756 | 45,526 | 50,297 | 45,226 | 48,918 |
| Green River | 36 | 24,161 | 960 | 25,121 | 26,631 | 26,791 | 28,694 |
| Virginia sun-cured | 37 | 2,379 | 171 | 2,550 | 3,138 | 2,780 | 3,215 |
| Total Dark Air-cured | 35-37 | 71,310 | 1,887 | 73,197 | 80,066 | 74,797 | 80,827 |
| Pennsylvania Seedleaf | 41 | 97,677 | 4,792 | 102,469 | 117,068* | 119,066 | 131,675 |
| Ohio Filler (Miami Valley) | 42-44 | 22,848 | 1,154 | 24,002 | 24,984 | 25,206 | 26,990 |
| Puerto Rico: | | | | | | | |
| In United States | 46 | 1,387 | 13,286 | 14,673 | 17,763 | 12,309 | 15,961 |
| In Puerto Rico | 46 | 26,715 | 3,927 | 30,642 | 21,825* | 30,713 | 19,484 |
| Total Cigar-filler | 41-46 | 148,627 | 23,159 | 171,786 | 181,640* | 187,294 | 194,110 |
| Connecticut Valley Broadleaf | 51 | 32,754 | 526 | 33,280 | 31,361* | 30,626 | 32,864 |
| Connecticut Valley Havana Seed | 52 | 25,244 | 177 | 25,421 | 27,987* | 25,114 | 26,187 |
| New York and Pa. Havana Seed | 53 | 1,658 | 51 | 1,709 | 2,199 | 1,978 | 2,044 |
| Southern Wisconsin | 54 | 29,198 | 2,258 | 31,456 | 34,004 | 32,854 | 34,580 |
| Northern Wisconsin | 55 | 33,354 | 1,061 | 34,415 | 37,394 | 38,132 | 42,996 |
| Total Cigar-binder | 51-55 | 122,208 | 4,073 | 126,281 | 132,945* | 128,704 | 138,671 |
| Connecticut shade | 61 | 10,105 | 137 | 10,242 | 12,356* | 9,860 | 12,609 |
| Georgia and Florida shade | 62 | 5,783 | 132 | 5,915 | 7,395* | 7,293 | 8,762 |
| Total Cigar-wrapper | 61-62 | 15,888 | 269 | 16,157 | 19,751* | 17,153 | 21,371 |
| Perique | 72 | - | 631 | 631 | 652 | 658 | 697 |
| Other Miscellaneous Domestic 3/ | 73 | 303 | 518 | 821 | 677* | 566 | 590 |
| Domestic Aromatic | 77 | 53 | - | 53 | 133 | 253 | 261 |
| Total Miscellaneous Domestic | 72-77 | 356 | 1,149 | 1,505 | 1,462* | 1,477 | 1,548 |
| Cuba (Havana) | 81 | 5,291 | 8,452 | 13,743 | 14,333* | 13,786 | 14,504 |
| Sumatra and Java 4/ | 82 | 265 | 6 | 271 | 214 | 325 | 517 |
| Philippine Islands (Manila) | 83 | 3 | 1,384 | 1,387 | 1,287 | 1,768 | 1,487 |
| Other foreign-grown cigar-leaf | 84 | - | - | - | - | 13 | 13 |
| Total Foreign-grown Cigar-leaf | 81-84 | 5,559 | 9,842 | 15,401 | 15,834* | 15,892 | 16,521 |
| Foreign-grown cigarette and smoking tobacco (Turkish and other) | 90 | 167,305 | - | 167,305 | 182,632 | 177,556 | 166,707 |
| Total All types | 11-90 | 2,154,049 | 1,172,851 | 3,326,900 | 3,703,063* | 3,298,119 | 3,663,645 |

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1953, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

2/ Subject to revision.

3/ For explanation of stocks included in this classification see footnote 5 on page 14.

4/ Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.

* Revisions in April 1, 1954 report.